

Make	MG
Model	MG3
Model year	2013
Туре	MG3 Hatch
Body	5-Door
Style	Hatchback
Engine/drivetrain layout	Front wheel drive/ Front engine/ Transverse mounted

Grade		3ТІМЕ			3FORM		3FORM SPORT		3STYLE		
Engine and Chassis											
Туре		DOHC VTI-TECH		D	DOHC VTI-Tech		DOHC VTI-Tech		DOHC VTI-Tech		
Aspiration		Normally Aspirated			Normally Aspirated		Normally Aspirated		Normally Aspirated		
Delivery Fuel		Multipoint injection UNLEADED 95 RON			ultipoint injection .EADED 95 RON		Multipoint injection		Multipoint injection UNLEADED 95 RON		
Cylinders		UNLEADED 95 RON 4			UNLEADED 95 RON		UNLEADED 95 RON 4		UNLEADED 95 RON 4		
Valves		16			16		16		16		
Camshaft drive			Chain			Chain		Chain		Chain	
Displacement Bore		mm	1498			1498 75		1498	1498 75		
Stroke		+ """	84.8	75 84.8		84.8		75 84.8		84.8	
Compression ratio		1	10.5 :	1		10.5 : 1		10.5 : 1		10.5 : 1	
Maximum power		PS @ rpm	106	6000	106	6000	106	6000	106	6000	
Maximum torque		NM @ rpm	137 4750		137	137 4750		137 4750		4750	
Front suspension Rear suspension			McPherson			McPherson struts Torsion Beam		McPherson struts Torsion Beam		erson struts sion Beam	
Steering system			Torsion Beam HPAS			HPAS		HPAS		HPAS	
Throttle			Drive by wire			Drive by wire		Drive by wire		Drive by wire	
Transmission										-	
Speed/type 1st			5-speed	Manual	5-speed	Manual 3 463	5-speed	Manual	5-speed	Manual 3 463	
2nd			3.462 1.952			3.462 1.952		3.462 1.952		3.462 1.952	
3rd			1.323			1.323		1.323		1.323	
4th			0.973	1		0.973		0.973		0.973	
5th			0.795			0.795		0.795		0.795	
Reverse Final drive			3.455			3.455 4.118		3.455 4.118		3.455 4.118	
Performance, Insurance a	and Fuel consumption		4.110							· -	
, , , , ,	0-60mph		10.4			10.4		10.4		10.4	
Acceleration	0-100KPH	secs	10.9			10.9		10.9		10.9	
	50mph-70mph (4th)	4	11.2			11.2		11.2		11.2	
Max speed	50mph-70mph (5th)	mph	15.5			15.5		15.5		15.5	
Insurance group		'	4E			4E		4E		4E	
Emission standard			EU5 pli	us		EU5 plus	Į.	EU5 plus	E	U5 plus	
Urban			37.7	7.5	37.7	7.5	37.7	7.5	37.7	7.5	
Extra Urban Combined		mpg (l/100km)	57.6	4.9	57.6	4.9	57.6	4.9	57.6	4.9	
CO2		g/km	48.7	5.8	48.7	5.8 136	48.7	5.8	48.7	5.8	
Dimensions (Exterior)											
Overall length			4018			4018		4018		4018	
Width		-	1729			1729		1729		1729	
Overall width inc. mirror Height		-	1912			1912		1912		1912 1507	
Height inc arial		mm	1845			1845		1845		1845	
Wheelbase (mm)			2520			2520		2520		2520	
Front track (mm)			1505			1505		1505		1505	
Rear track (mm) Turning circle		m	1493 10.4			1493 10.4		10.4		10.4	
Dimensions (Interior)			10.4		<u> </u>	10.4		10.4		10.4	
,	Legroom (max)		1062			1062		1062		1062	
Front	Headroom (max)		984			984		984		984	
	Shoulder room (max)		1365			1365		1365		1365	
	Elbow room (max) Legroom rear (max)	mm	1394			1394 875		1394 875		1394 875	
	Headroom rear (max)	-	972			972		972		972	
Rear	Shoulder room (max)]	1318		1322			1322 1407		1322	
	Elbow room (max)		1407	1407		1407				1407	
Weights and Capacities Trunk capacity, seats up (VDA)			285			285		285		285	
Trunk capacity, seats up (VDA) Trunk capacity, seats up (VDA), with op	ptional spare tyre fitted	+	256			256		256		256	
Trunk capacity, seats down, load to wir	ndow line (VDA)	litres	546			546		546		546	
Trunk capacity, seats down, load to roo	of (VDA)		1262			1262		1262		1262	
Kerb weight		1	1125			1150		1150		1155	
Max permissible weight Payload		+	1665 540			1675 525		1675 525		1685 530	
Max towing weight (unbraked)		kg	200			200		200		200	
Max Nose weight		1	75			75		75		75	
Max weight of the vehicle + trailer Seation Canacity		1865			1875		1875		1885		
Seating Capacity max Fuel tank capacity, approx max litres/gallons		5			5		5 45		5		
Safety and Security		ganono									
Seatbelt reminder, driver and passenger		•			•		•				
Front seatbelt pretentioners		•			•		•		•		
Driver Supplemental Restraint System airbags Passenger Supplemental Restraint System airbags							•		•		
Passenger Supplemental Restraint System airbags SRS Side Supplemental Restraint System airbags		•			•		•		•		
Curtain Supplemental Restraint System airbags		•			•		•		•		
Passenger airbag cut-off switch					•		•				
Antillock Braking System ABS			•			•		•			
Stability Control System Electronic Brake force distribution		SCS EBD	•								
Emergency Brake Assist		EBA	•								
Hill Hold Control		HHC	•			•		•		•	
Brake Disc Wiping		BDW	•			•		•			



Make	MG
Model	MG3
Model year	2013
Туре	MG3 Hatch
Body	5-Door
Style	Hatchback
Engine/drivetrain layout	Front wheel drive/ Front engine/ Transverse mounted

Grade		3TIME	3FORM	3FORM SPORT	3STYLE		
	0.75						
Front disc brakes Rear drum brakes	SIZE SIZE	•					
Brake Pad wear sensor	SIZE	•		•			
High level stop lamp		•	•	•	•		
Engine Drag Torque Reduction	EDTR	•	•	•	•		
Tyre Pressure Monitoring	iTPMS	•	•	•			
Side impact beams		•	•	•	•		
ISO-fix child restraint system mountings	s 2, rear seat	•	•	•	•		
Jack-knife key			•	•			
Master lock/unlock		•	•	•			
Remote Central Door Locking	CDL		•	•	•		
Deadlocks Immobiliser system		•					
Drive-away locking		•	•	•			
Instrumentation							
Gear change indicator		•	•	•	•		
Speedometer and Tachometer	Analogue	•	•	•	•		
"Tunnel" design instruments			•	•	•		
MG3 badge on Speedomenter		•	•	•	•		
Fuel gauge	Digital	•					
Low temperature warning		-					
Mutifunction trip computer	Digital	•	•	•	•		
Vehicle Exterior Halogen headlamps		•	•	•	•		
MG logo in headlamps		•					
LED Daytime Running Lights (DRL)		•					
Tail lamps with integrated fog lamps		•	•	•	•		
Body coloured front bumper assembly		•	•	•			
Front sport design grille		•	•	•			
Body coloured rear bumper assembly		•					
Black door handles							
Body coloured door handles							
Side sills, body colour with black insert Rear tailgate spoiler			•				
Rear sport design valance		•	•	•			
Square tailpipe in chrome		-	•	•	•		
MG3 logo		•	•	•	•		
Wheels and Tyres							
14" Steel wheel + Trim	Goodyear "GT3" 185/75 R14	•	•				
16" "Carousel" Allloy wheel	Goodyear "Efficient Grip" 195/55 R16						
16" "Diamond" Alloy wheel	Goodyear "Efficient Grip" 195/55 R16				•		
Tyre repair kit	Pump and go kit	•	•	•	•		
Seating Interior trim	ZERO Design	•	•	•	•		
Sports seats	Fabric	•	•	•			
Red stich on seats		•	•	•	•		
Contrast bolsters							
	Leg	•					
	Driver Height		•	•	•		
Seat adjustment	Backrest	•	•				
	Passenger Leg Backrest	•	•	•			
	Driver	•	•	•			
Seat back pocket	Passenger	•	•	•			
Passenger seat undertray	·	•	•				
60/40 Split rear seats		•	•	•	•		
Comfort and Convenience							
Three spoke "MG" design steering whe	20 1	•					
Leather "MG" design steering wheel		-		•			
Red steering wheel stitch			•	•			
	Vents	•		•	•		
Cool silver interior detail	Instument surround	•	•	•			
	Handles	•	•	•			
Steering wheel adjustment	Reach						
Cupholders	Front x2 Console	•	•	•			
12V Socket	Rear x1 Console Front	•					
Cruise control	. 100%	-	•				
Manual heater control		•					
Electronic air-conditioning			•	•			
Front electric windows with auto down for	function	•	•				
Rear electric windows		•	•	•			
Courtesy lighting	Front	•					
Sunvisor	Driver Passenger	•	•	•	•		
	Driver						
Vanity mirror	Passenger		•	•	•		
Front variable intermittent wiper	ı	•	•	•			
Automatic front wiper with rain sensor							
Automatic headlamps with dusk sensor	r						
Heated rear window		•					
Rear intermittent wiper	D-1001	-					
Rear view mirror Reverse parking sensors	Day/night adjustable	•	•	•			
					<u> </u>		



Make	MG
Model	MG3
Model year	2013
Туре	MG3 Hatch
Body	5-Door
Style	Hatchback
Engine/drivetrain layout	Front wheel drive/ Front engine/ Transverse mounted

<u> </u>							
Grade		3TIME	3FORM	3FORM SPORT	3STYLE		
	Heated		•	•	•		
Manual adjustable		•	•	•	•		
Side mirrors	Electrically adjustable		•	•	•		
	Body colour	•		•	•		
In-Car Entertainment		•	•	•	<u> </u>		
Stereo CD+AM/FM tuner with MP3 comp							
Steering wheel audio controls	attomity			•	•		
Steering wheel additional controls Front x2			•				
Full range speakers	Rear x2			•			
Tweeters	Front x2		•	•			
Smartphone dock preparation			•	•	•		
USB port		•	•	•	•		
iPod integration			•	•	•		
Aux-in		•	•	•	•		
DAB			•	•	•		
Bluetooth phone integration			•	•	•		
Bluetooth audio			•	•	•		
Options							
Interior Trim		T					
TECH Part leather trim					0		
Piano black with silver interior pack		0	0	0	0		
Piano black with red interior pack with Bl		0	0	0	0		
Metallic grey with red interior pack with BI		0	0	0	0		
Piano black with silver interior pack with Bkack Key		0	0	0	0		
Piano black with red interior pack with Red Key		0	0	0	0		
Metallic grey with red interior pack with Red Key		0	0	0	0		
Gearknob		0	O	0	0		
Phone kit, iphone3			0	0	0		
Phone kit, iphone4			0	0	0		
Phone kit, iphone5			0	0	0		
Phone kit generic			0	0	0		
PND fitment kit			0	0	0		
Exterior Trim							
"Newton Black" Wing mirror cap		0	0	0	0		
"White on the Tiles" wing mirror cap		0	0	0	0		
"Ticled Pink" wing mirror cap		0	0	0	0		
"Red Rose" wing mirror cap		0	0	0	0		
Wheels and Tyres							
16" "Diamond" Alloy wheel	Goodyear "Efficient Grip" 195/55 R16	0	0	0	•		
16" "Black Diamond" Allloy wheel	Goodyear "Efficient Grip" 195/55 R16	0	0	0	0		
16" "Red Diamond" Allloy wheel	Goodyear "Efficient Grip" 195/55 R16	0	0	0	0		
	Goodyear "Efficient Grip" 195/55 R16	0	0	0	0		
	Goodyear "Efficient Grip" 195/55 R16	0	0	0	0		
	T125/90 R14 (temporary use)	0	0	0	0		
Graphics							
Mod Oct		0	o	o	0		
Hope and Glory		0	0	0	0		
	White	0	0	0	0		
	Black	0	0	0	0		
	Red	0	0	0	0		
	White	0	0	0	0		
	Black	0	0	0	0		
	Red	0	0	0	0		
Shards		0	0	0	0		
Weave		0	0	0	0		
Burst State		0	0	0	0		
Emoticons		0	0	0	0		
Burnout		0	0	0	0		
		0	0		0		
Servicing and Warranty Standard sensition interval 4 year							
Standard servicing interval		 	1 year		15000miles		
Warranty Paint protection			3 years		60000miles		
Paint protection		 	3 years		60000miles		
Anti Perforation			6 years		unlimited		

Standard Equipment •
Optional at extra cost o